```
868 428*288/CCLS
          1137 428*290/CCLS
         14129 LATEX
           296 (428*288/CCLS OR 428*290/CCLS) AND LATEX
L<sub>1</sub>
=> s l1 and composite
         64746 COMPOSITE
            91 L1 AND COMPOSITE
L2
=> s 12 and (tile or board or panel)
          3933 TILE
         54695 BOARD
         79752 PANEL
L3
            24 L2 AND (TILE OR BOARD OR PANEL)
=> s l1 and (tile or board or panel)d l3 1-24
MISSING OPERATOR 'PANEL)D L3'
=> s l1 and (tile or board or panel)
          3933 TILE
         54695 BOARD
         79752 PANEL
L4
            55 L1 AND (TILE OR BOARD OR PANEL)
=> s 13 and 14
            24 L3 AND L4
=> s 13 or 14
L-6
            55 L3 OR L4
=> d l6 1-55
   composite surface material; Richard A. Kolar, 428*283; 156*278, 279, 280;
428*284, 257, 314.4, 317.1
   4,78,544, Oct. 18, 1988, Low toxic navy board facing; Charles E.
Jones, \det al., 156*60; 52*515; 106*18.12, 18.26; 156*71; 252*608; 427*397.8;
428*25‡, 268, 290, 442, 913, 920 [IMAGE AVAILABLE]
3. <del>-4, 82,757,</del> Oct. 27, 1987, Binders for nonwovens based on EVA-maleate
copolymers; Faul R. Mudge, 428*288; 5*482, 487, 499, 502; 8*181, 184;
427*389.9, 392, 394, 396; 428*290; 604*365, 374, 375, 377
4. 4,475,503, Sep. 22, 1987, Coated, oriented, polymer film laminate; Leland
_. Liu, et al., 428*207; 264*176.1; 428*200, 282, 288, 327, 331, 349,
461, 465, 484, 510, 516, 518, 520, 910
5. 4,459,412, Apr. 21, 1987, Method for adhering a coating material to
densified random-fiber composite sheet; Ritchey O. Newman, et al.,
```

```
156*322 138*143, 146; 427*316; 428*86, 290, 291
```

- 6. <del>4,6.7,230,</del> Oct. 14, 1986, <u>Latex</u> containing odor inhibitor; Pravinchandra K. Shah, et al., <u>428\*288</u>; 427\*36, 223; 428\*274, 289, **270**, 905, 913; 524\*831; 604\*359
- EAM AND AID DEAKOOTS ONAKOOA
- 7<u>4,60,920</u>, Sep. 9, 1986, Binders for nonwovens; Paul R. Mudge, et al.,
- 8. 4,60,919, Sep. 9, 1986, Binder for fibrous padding; James Kent, 428\*285; 427\*421 428\*287, 288, 290; 524\*513, 514
- 9. 4,507,580, Sep. 2, 1986, Absorbent floor mat; Luann T. Rockett, et al., 428\*198, 187, **288**, 297, 303, 340
- 10. 4.409,433, Sep. 2, 1986, Sheet composites containing crystalline phosphate fibers; Marvin M. Crutchfield, et al., 162\*145, 152, 164.3, 164.6,
- 168.1, 169, 170; 428\*219, **288**, **290**, 338, 379, 392, 401, 704
- 11. 4,548,678, Oct. 22, 1985, Flexible sheet material and articles made therefrom; Philip Laflin, et al., 162\*146, 164.6, 168.2, 175, 181.9; 418\*152; 428\*288, 326, 408, 902
- 1<del>2. 4,447,422</del>, Oct. 15, 1985, Fabric reinforced multiple ply conveyor belt; Brian H. Oliver, et al., 428\*286; 156\*137; 198\*847; 428\*290, 475.8, 506, 520
- 13. 4,532,176, Jul. 30, 1985, Fibrous material comprised of vermiculite coated fibers; Peter J. Briggs, et al., 428\*288; 106\*18.12; 428\*372, 375, 378, 387, 392, 401
- 14. 4,518,649, May 21, 1985, Soil releasing textiles containing fluorochemical soil release agents and method for producing same; Robert C. Wang, et al., 428\*284; 5\*482, 502; 427\*393.4; 428\*224, 287, 290, 421,
- 422, 915
- 1<del>5. 4,507,34</del>2, Mar. 26, 1985, Polymers adherent to polyolefins; Andrew J. Kielbania, Jr., 428\*90, **270**, 394, 516, 522
- 16. 4,504,537, Mar. 12, 1985, Rug underlay comprising open lattice with partially fused needle punched fiber layers; Charles S. Mussallem, Jr., 428\*167; 264\*505; 428\*91, 95, 172, 234, 235, 239, 247, 252, 284, 255, 300, 301
- 17. 4,495,238, Jan. 22, 1985, Fire resistant thermal insulating structure and garments produced therefrom; Joseph G. Adiletta, 428\*215, 236, 284, 285, 286, 287, ₹28, 903, 920, 921
- 18. 4,476,175, Oct. 9, 1984, Building materials comprising non-woven webs; John S. Forry, et al., 428\*17∅; 156\*62.4, 62.8; 264\*51∅; 428\*171, 172, 281, 286, 287, **288**
- 19. 4, 72,478, Sep. 18, 1984, Fibrous composite materials and the production and use thereof; Feter J. Briggs, et al., 428\*283; 162\*181.4, 181.5, 181.6, 181.8; 428\*281, 288, 324, 372, 454
- 25. 4, 60,643, Jul. 17, 1971, Nonwoven fibrous backing for vinyl wallcover; William P. Stevens, et al., 28\*284, 286, 287, 270, 298, 326, 343, 354, 904.4

- 21. 4,47,903, Apr. 24, 1984, Composite upholstered furniture or mattress assembly with flam retardant-smolder resistant textile backcoated fabric layer; George J. Lei er, 5\*459; 2\*81; 5\*483, DI 1; 428\*248, 262, 264, 276, 277, 270, 510, 526, 527, 920; 524\*512
- 22. 4,454,521, Mar. 6, 1984, Applicator for applying a coating to a surface; Emil Martin, et al., 15\*230.11, 209R, 227; 29\*132; 428\*290
- 23. 4,45,020, Feb. 21, 1984, Sheet-like material, heat-insulating material derived therefrom and methods of manufacturing same; Hiroshi Narukawa, et al., 428\*113; 162\*159; 428\*283, 288, 323, 408, 443, 902, 920
- 24. 4, 29,216, Jan. 31, 1984, Conductive element; Alan Brigham, 219\*528, 529, 545, 548, 549; 338\*211; 427\*121, 122, 180, 197, 202, 282, 299, 397.7; 428\*87, 95, 96, 97, 195, 201, 204, 207, 208, 283, 286, 287, 289, 302, 303, 337, 339, 901
- <del>25. 4,∮25,126,</del> Jan. 10, 1984, Fibrous material and method of making the same using thermoplastic synthetic wood pulp fibers; George A. M. Butterworth, et al., 60,4\*366; 264\*119, 126, 128; 428\*17, 152, 181, 198, 286, **290**, 296, 302, 3√0.5, 316.6; 604\*367, 375
- 26. 4.414,267, Nov. 8, 1983, Method for treating discontinuous cellulose fibers characterized by specific polymer to plasticizer and polymer-plasticizer to fiber ratios, fibers thus treated and composites made
- from the treated fibers; Aubert Y. Coran, et al., **428\*288**, 294, 295, 302, 326, 341; 524\*14, 35
- 27. 4\379,808, Apr. 12, 1983, Sheet type forming **board** and formed **board** products; John N. Cole, et al., 428\*438; 156\*62.2, 196, 242; 162\*142, 181.1; 264\*109, 112, 119; **428\*288**, 326, 327, 441, 454, 511, 535
  - 28. 4,363,847, Dec. 14, 1982, Flexible sheet material; Brian Hargreaves, et al., 428 €283; 162 € 181.6; 277 € 235B; 428 € 237, 241, **288**, 324, 326, 331, 451
- <del>27. 4,336,229</del>, Oct. 26, 1982, Bonded nonwoven fabrics suitable for diaper coverstock; John G. Brodnyan, et al., <u>428\*288</u>; 128\*155, 156; 428\*297; 524\*824, **B**33
- 3<del>0. 4,325,167,</del> Mar. 16, 1982, Nonwoven fabric and method of production thereof; Marvin Wishman, 428\*288; 28\*107, 112; 156\*62.2, 62.4, 62.6, 62.8, 308 2; 428\*95, 113, 294, 296, 300
- 31. 4,27,228, Jun. 2, 1981, Sheet material containing exfoliated vermiculite; Richard P. Foster, et al., 428\*281; 277\*22, 166, 235B; 428\*237, 241, 288, 323, 324, 325, 328, 920
- 32. 4,260,660, Apr. 7, 1981, Use of sulphur as an additive to inhibit the smoldering combustion of materials; Robert J. McCarter, 428\*284; 5\*459; 29\*91.1, 91.5; 297\*DIG.5; 427\*393.3; 428\*286, 287, 289, 290, 291, 304.4, 341, 543, 688
- 33. 4,245,689, Jan. 20, 1981, Dimensionally stable cellulosic backing web; Henry P. Grard, et al., 162\*134, 135, 137, 145, 146, 158, 161, 162, 168.1, 168.2, 168.7, 169, 172, 181.1, 181.5, 181.7, 183, 184; 428\*236, 286, 288, 290, 297, 304.4, 385, 391
- 3<del>4. 4,25;027,</del> Nov. 25, 1980, Laminated insole; Tej K. Singh, 36\*44; 428\*244, 281, **270**, 317.9, 408

```
35<del>. 4,210,362, J</del>ul. 1, 1980, Cellulose-containing phenolic resin-based
binder:/Frank P. McCombs. 524*44: 428*290, 429, 436: 524*594
36. Rd 30,233, Mar. 18, 1980, Multiple layer decorated paper, laminate
prepared therefrom and process; William C. Lane, et al., 428*207; 156*277;
162*181.6, 186; 264*132; 427*203, 205; 428*219, 288, 290, 328, 329
37. 4,174,420, Nov. 13, 1979, Upholstered furniture having improved flame
resistance; Colin Anolick, et al., 428*290; 5*459; 156*78; 297*452,
DIG.5; 428*304.4, 314.6, 921; 521*85, 90, 92, 136
3<del>2. 4/137,110,</del> Jan. 30, 1979, Method of making laminated insoles; Tej K.
Singh, 156*62.2; 36*44; 156*279; 427*202, 243, 407.1; 428*244, 281, 270, 308.4, 408
3<del>7. 4/124,554. N</del>ov. 7. 1978. Post-formed aqueous phenolic resin dispersions;
John S. Fry, 523*412; 428*290, 460, 528, 531; 523*424; 524*316, 364, 376,
389, 5Ø3, 51Ø
     4,982,886, Apr. 4, 1978, Liquid absorbent fibrous material and method of
making the same; George A. M. Butterworth, et al., 428*284; 156*62.8, 181,
272.2, 275.1, 308.4, 309.6; 428*286, 288, 289, 296, 298, 299, 310.5,
311.5, 535, 537.1, 913
4<del>1. $,998,871,</del> Dec. 21, 1976, Sulfonated isocyanate compositions; Robert C.
Carlson, 528*71; 156*62.8, 77; 427*337; 428*224, ≥28; 429*122, 249;
525*460; 528*59; 558*240; 560*13 [IMAGE AVAILABLE]
42<del>. 4,998,870,</del> Dec. 21, 1976, Sulfonated aromatic polyisocyanates and
preparation of stable anionic polyurethane or polyurea latices therefor;
Rober∜ C. Carlson, 528*71; 156*62.8, 77; 427*337; 428*224, 288; 525*453;
528*59; 558*240; 560*13 [IMAGE AVAILABLE]
4<del>3. 4,983,291,</del> Sep. 28, 1976, Silanol-containing urethane dispersions; Joe
H-S Chang, 428*290, 311.1, 311.7, 423.4, 425.1, 425.6, 425.8, 447, 457
44. RE 28,757, Sep. 7, 1976, Synthetic resin compositions and methods of
utilizing the same; Arthur H. Drelich, et al., 427*331, 283, 288, 322, 324,
340, ∃41, 342; 428*198, ⊵90; 524*407, 413, 416
45<del>-3,763,847</del>, Jun. 15, 1976, Surface texture for fibrous boards; Fred C.
Norgard, 428*147; 156*279; 162*152; 427*188, 198, 262; 428*159, 161, 172,
195, 206, 207, 290, 313.5, 327
46. 3,955,031, May 4, 1976, Flame resistant building material; Isaac Palmer
Jones, \det al., 428*288; 156*309.6, 324.4; 428*311.5, 337, 342, 442,
537.7, 703, 921
4<del>7. 3,953,63</del>2, Apr. 27, 1976, Resin impregnated mats and method of making
the same; Leonard W. Robinson, 428*95, 96, 97, 286, 😥
      <del>,940,532,</del> Feb. 24, 1976, Needled textile fabric with a thin polymeric
coating thereon; Alexander M. Smith, II, 428*218; 28*115; 428*151, 283,
290, $00, 301, 904
4<del>9. $,930,074,</del>Dec. 30, 1975, Synthetic resin compositions and methods of
applying the same to porous materials to control migration thereon; Arthur H.
Drelich, et al., 427*341, 302, 303, 342; 428*262, 250, 514; 524*28; 45
50. 1,930,073, Dec. 30, 19., Migration control resin compositions and
metho\phis of using the same on porous materials; Arthur H. Drelich, et al.,
```

roperty and any are and round the east solved be

51. 3,928,676, Dec. 23, 19<sup>77</sup>, Synthetic reain composit ins and methods applying the same to porous aterials to control migrat in thereon; Arthur H. Dreligh, et al., 427\*341, 302, 303, 342; 428\*262, 270, 514; 524\*28, 45

52. 3,927,236, Dec. 16, 1975, Resin compositions, methods of applying the same to porous materials, and the resulting products; Jay S. Shultz, 428\*297, 411.1

5<del>3. 3,708,057</del>, Sep. 23, 1975, Fabric with thin surface matrix and method for production thereof; Alexander M. Smith, II, 428\*151; 28\*108, 112, 158, 163, 169; 428\*172, .235, 284, **288**, **270**, 300, 301, 302

<del>54. 3,889,024,</del> Jun. 10, 1975, Method of controlling the migration of resin compositions in the manufacture of porous materials; Arthur H. Drelich, et al., 427\*243, 342; 428\*290; 524\*437

5<del>5.</del> 3,873,486, Mar. 25, 1975, RESIN COMPOSITIONS; Arthur H. Drelich, 524\*413; 428\*198, **258**; 524\*99, 188, 407, 423, 427, 428, 432

== >

```
el de la company de la capación de material en seguindo dicidad de motivador com de modificación en de
     n. 1966 by Edward State (1964).
The control of the 
  ಇತ್ತಿ ಕ ರಾಗ್ಯಾಲ್ ಗಳನ್ನಿಗಳು ಅದರ ಮುಂದು ಮುದಗಳ ಮುತ್ತ ಮುತ್ತಿಕೊಳ್ಳು ತಿಳಿದೆಗೆಲಿದೆ. ಅದುಗಟ್ಟಳು ತಿಳಿದಿದ
                                                                                                                                                                              ndand
 aŭ Jr. - C. 16 2010 Un - Vil. Indont 6 Yradgaar Defice
                          LNA FARRONILIDERF
                         . NUL GILLNE
                     不是各名。 1.1. 18 2 TUNATED
                      Addie CARPONYLIC
                        TREE UNCATURATION (UA) CRACGRYLLO
                             DZ MOROVIKYLIŁ ERO ALO BIENA ART LYRORIJAKATŁO (SKYCKRO) YLTG
ex s to ano lawex (balcmutsion)
                     MEYAL LOSEL
                     35732 ENULGION
                       - 1844 LATEX (SA) EMULETON
1.7
                            ISO LE PRO LATERISM EMULBIUM
#0 6 17 (-12)
         -4 \Delta50 Pec, Max 26. (YB). Process you showating symmetries in high nubber,
088 latexy John by Ups, of Al. 525985; 523*326, 335, 325*64, 35, 197, 198
15 JOH 16 Pic≳2:14 U.S. Ferent & Trademark Dyfice
2. 4 510;505, Sec. 125; 1925; Conclymen Latex; Pasavoshi Sekiya; et :1...
523*201; 427*391: 425*421: 5244468
d. <del>M. Bil (17</del>4) duro e. 1986. Byve<mark>enchadry</mark>lid Latex condaining d
herenorulysevuneles monomen and papen-scaring sonpositions produced therefrom:
inder cart – willes v; ble-bts, 550, 561, 506×327.
\phi_{n}=\frac{1}{2}(1+1) den. 28. 1995, Hasenhyenderd polymon, area of relatively bandar or relatively bandar or relatively set of an area of relatively set of an
ಕಾಮರಾಗಳಾಗಿದ್ದರೆ ಗಾಗಾಗತಾರ್ಥ ಪ್ರಧಾನ ಕಾ<mark>ಟಗಳಿ</mark>ದಿದ್ದಾರ ಪಟ್ಟಿಗಳ ಬಳಕ್ಕೆ ದಳಿ ಕಾಗ್ರಿ ಪ್ರೀತಿಕೆತ್ತು ಪಟ್ಟಿಗಳಿತು∤ು, ತಿಹಿಗಳು
Dares (1955)
                          	au_{\infty} hav 0 = 0.748 . Etc. tizt polywenisation process for 838.
                         న్, జాగార్ క్ శగ్రా కర్గా కర్గా 50 కె.మీ. క్రామంలోని క
                         1 12
                              ⇔្ត្រាស់ ទៅការ ដី ១០០ ខេត្តប្រជាជានិសា គ្នានៅនៅក្រសាស Managa សាធានិសាធនា សភាពនានិងនេះ
                          ကြည်း ကျေးမှာလေးကြောင့် သည်။ ကြောင်းများ သည်။ ကြောင်းများများနှင့် ကြောင်းများသည်။ ကြောင်းများသည် ကြောင်းများသိ
                  ie line 🖭 📖
                                                                        រំគ្នាស្រុកមិនស្វារៈ ស្រុកក្នុង ៖ ស្រុកស្រុស
                                                                                                                                     ្តា ព្រះជាង៩ ២ ១១៩២ ១៩៤
                                                                  Min Testi, this well-ex
```

evinta e con localitato de la entre el secolo de la especialita del especialita n de la composition della comp on the Charles of the AND SOME PROPERTY OF A STANDARD STANDARD STANDARD OF THE STANDARD 30 4 Lord D. ST. 1 383 E ALLED All Carlos (#150 et Physics along & State) (Book of participation) 1.1 mod Weight was made by Demonstrate (Section 2) and Section 1. t sa mantiblek tik om leder med stadskere i dan (twa siladise a lam station tid 1888 tak 18712 FMCLECTM (389) 14 48 7 1 4 5 5 6 6 6 12 6 7 6 10 6 4 10 6 and the second 🕶 poji ka ilikiliki ili odisevi mra pravationji spaprevizi po itinji kopisto <del>odd)</del> lawn Well Mach Donolingan Itl**ong M**idolyceni Foktye Leolifi. 99 (1) \$100 m (1) 26 m (2) (1) \$100 m (1) 300 a 🖳 a 💮 👾 1705. S Masterlingville lækex er måglinitt a reservations of a section is the constructive of the properties of the properties of the construction of t ్రామంలో స్థారం కేంద్రం కొట్టింది. స్టామంలో ఎక్కారాండ్ పడ్చాయుడ్డు ఎక్కారు కొట్టుకుండి. తోగార్ స్టామ్రికి కామార్థింగా ప్రక్రించి కామార్థికి కామార్థికి కామార్థికి కామార్థికి ప్రామెక్టించిన కామార్థికి కామార్థికి కోస్తి otro (20) válto (19) orannáros norteleden pelontarillador aventa est A a a a a jorgania de Allanos, altabledo (1905) in de la digital de la compacta del compacta de la compacta del compacta de la compacta del la compacta de la c out to the buy they are that antenna (1) kalandara araban dari berasalah dari berasalah berasalah berasalah berasalah berasalah berasalah b

مناهج والمناهد والمناهد

•

ab iog y J.E. Patant & Yrademark ordice LOGOPS of the Strong of the Section 1999 Section 199